

TECHNICAL DATA SHEET

DESCRIPTIONSLANETZ & BARTLEY AGAR, 90MM PLATES**SGL PRODUCT CODE**9098

Also known as mEnterococcus agar, Slanetz and Bartley agar is a medium for the detection of enterococci in water and other liquids described in ISO 7899, APHA and ISO 11133. The medium was originally designed for use with the membrane filtration method, but it is also useful as a direct plating medium.

FORMULATION

Typical product composition*:

COMPONENT	WEIGHT / VOLUME
Tryptic digest of protein	20.0 g
Yeast extract	5.0 g
Glucose	2.0 g
Dipotassium hydrogen phosphate	4.0 g
Sodium azide	0.4 g
2,3,5 Tetrazolium chloride	0.1 g
Agar	8.0 - 18.0 g
Purified water	1000 ml

*Product may be adjusted and/or supplemented to meet performance criteria

QUALITY CONTROL SPECIFICATION

PHYSICAL TESTS	SPECIFICATION CRITERIA
Appearance	Clear, colourless or slightly pink gel
pH at 20-25°C	7.2 ± 0.2

STERILITY TESTS	SPECIFICATION CRITERIA
Incubation at 20-25°C for a minimum of 5 days	No growth detected
Incubation at 35-37°C for a minimum of 5 days	No growth detected
Incubation at 42-45°C for a minimum of 5 days	No growth detected



GROWTH PROMOTION / INHIBITION TESTS	SPECIFICATION CRITERIA
Enterococcus faecalis ATCC 19433 NCTC 775	≥50% CFU recovery compared to control, red
NMT 100 CFU inoculum	colonies at 34-38°C incubation after 40-48hrs.
Enterococcus faecium NCTC 13169	≥50% CFU recovery compared to control, red
NMT 100 CFU inoculum	colonies at 34-38°C incubation after 40-48hrs.
Escherichia coli ATCC 8739 NCTC 12923 NCIB	Total inhibition at 34-38°C incubation after 40-
8545	48hrs.
NLT 1000 CFU inoculum	
Staphylococcus aureus ATCC 6538	Total inhibition at 34-38°C incubation after 40-
NLT 1000 CFU inoculum	48hrs.
NMT = Not more than	

NLT = Not less than

CFU = Colony forming units

Additional specification testing may be performed as requested by the customer.

Manufactured in compliance with ISO 9001 (Ref No FM37824) and tested in accordance with ISO 11133 by a UKAS (ISO 17025) accredited laboratory (Ref No. 4356).